



2906 West Clark Road
 Champaign, IL 61822
 (217) 359-7680 • Fax (217) 359-7605
www.waypointanalytical.com

WATER SAMPLE INFORMATION SHEET

Client Information		Sampling Instructions						
Company Name		(1) The sampling bottle shall be kept unopened until the moment it is to be filled. (2) Remove the cap, taking care to avoid soiling. During sampling, do not handle the cap and neck of the bottle. (3) If the sample is taken from a tap, remove the aspirator, open tap fully and allow water to run for 2-3 mins. The flow should be adjusted to keep from splashing when filling the bottle. (4) Do not touch the inside of the bottle. Rinse the bottle 3 times with the water. (5) Leave air space (approximately 1 inch) in the bottle to allow proper mixing of the water sample. (6) Replace the cap immediately. Tighten cap securely. (7) Ensure at least 100 mL of water is obtained. (8) Label sample with unique complete descriptive identification.						
Address								
City, State, Zip								
Account #								
Grower Name	Sample Identification	Check Test Package/Report Option Desired						Sample Date
		A70	A71	A72	Combo A71/A72	A73	A74	
								MM/DD/YY
								MM/DD/YY
								MM/DD/YY
								MM/DD/YY
								MM/DD/YY
								MM/DD/YY
								MM/DD/YY
Test Package	Sodium, Calcium, Magnesium, Hardness, Chloride, Conductivity, Sulfate, Nitrate-Nitrogen, Ammoniacal-Nitrogen, pH, Carbonate, Bicarbonate, Phosphorus, Potassium, Total Dissolved Solids, SAR, Boron, Iron, Copper, Zinc, Manganese, Aluminum, Molybdenum							
A70	Data Only Report - No Interpretation							
A71	Irrigation Suitability Report							
A72	Agricultural Spray Water Suitability Report							
Combo A71/A72	Includes both the irrigation suitability interpretation and the agricultural spray water interpretation (no additional cost)							
A73	Irrigation Water with Added Fertilizers (Data Only Report) - Sodium, Calcium, Magnesium, Hardness, Conductivity, Sulfate, Nitrate-Nitrogen, Ammoniacal-Nitrogen, Inorganic-Nitrogen, pH, Phosphorus, Potassium, Boron, Iron, Copper, Zinc, Manganese, Molybdenum (This package is not for straight liquid fertilizers. See fertilizer packages for this testing.)							
A74	Fish Pond Package - Alkalinity, Calcium, Magnesium, Hardness, pH							
Additional Tests or Other Information								

Submittal of information sheet to Waypoint Analytical, Inc. is acceptance of our terms and conditions. All prices are subject to change without notice.
 Additional fees may be charged to client if sample requires additional preparation procedures.