

DIVISION OF WATER RESOURCES LABORATORY CERTIFICATION BRANCH

In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:



2023

Waypoint Analytical Mississippi

Is hereby certified to perform environmental analysis as listed on the Laboratory's Certified Parameter List and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, soil and pretreatment regulations.

By reference 15A NCAC 2H .0800 is made a part of this certificate.

This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.

This certificate shall be valid until 12/31/2023

Certificate No. 694

A handwritten signature in black ink that reads 'Todd Crawford'.

Todd Crawford

North Carolina Wastewater/Groundwater Laboratory Certification

Certified Parameters Listing

Lab Name: Waypoint Analytical Mississippi
Address: 235 Highpoint Drive
Ridgeland, MS 39157

Certificate Number: 694
Effective Date: 1/1/2023
Expiration Date: 12/31/2023
Date of Last Amendment:

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

CERTIFIED PARAMETERS

METAL
MERCURY
EPA 1631 E (Aqueous)