

| | ANALITI | | WATER SAMPLE | INFURIN | AHON | SHEET | | | | | |
|--|---|-----------------------|--|--|-----------------------|---------|-----|-----|-------------|----------|--|
| Client Information | | | | | Sampling Instructions | | | | | | |
| Company Name Address City, State, Zip Account # | | | | (1) The sampling bottle shall be kept unopened until the moment it is to be filled. (2) Remove the cap, taking care to avoid soiling. During sampling, do not handle the cap and neck of the bottle. (3) If the sample is taken from a tap, remove the aspirator, open tap fully and allow water to run for 2-3 mins. The flow should be adjusted to keep from splashing when filling the bottle. (4) Do not touch the inside of the bottle. Rinse the bottle 3 times with the water. (5) Leave air space (approximately 1 inch) in the bottle to allow proper mixing of the water sample. (6) Replace the cap immediately. Tighten cap securely. (7) Ensure at least 100 mL of water is obtained. (8) Label sample with | | | | | | | |
| Account # | | | | unique complete descriptive identification. | | | | | | | |
| | | Sample Identification | Check Test Package/Report Option Desired Combo | | | | | | | | |
| Grower Name | | | A70 | A71 | A72 | A71/A72 | A73 | A74 | Sample Date | | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| | | | | | | | | | | MM/DD/YY | |
| Test Package | Sodium, Calcium, Magnesium, Hardness, Chloride, Conductivity, Sulfate, Nitrate-Nitrogen, Ammoniacal-Nitrogen, pH, Carbonate, Bicarbonate, Phosphorus, Potassium, Total Dissolved Solids, SAR, Boron, Iron, Copper, Zinc, Manganese, Aluminum, Molybdenum Data Only Report - No Interpretation | | | | | | | | | | |
| A71 | Irrigation Suitability Report | | | | | | | | | | |
| A72 | Agricultural Spray Water Suitability Report | | | | | | | | | | |
| Combo A71/A72 | Includes both the irrigation suitability interpretation and the agricultural spray water interpretation (no additional cost) | | | | | | | | | | |
| A73 | Irrigation Water with Added Fertilizers (Data Only Report) - Sodium, Calcium, Magnesium, Hardness, Conductivity, Sulfate, Nitrate-Nitrogen, Ammoniacal-Nitrogen, Inorganic-Nitrogen, pH, Phosphorus, Potassium, Boron, Iron, Copper, Zinc, Manganese, Molybdenum (This package is not for straight liquid fertilizers. See fertilizer packages for this testing.) | | | | | | | | | | |
| A74 | Fish Pond Package - Alkalinity, Calcium, Magnesium, Hardness, pH | | | | | | | | | | |
| | | | Additional Tes | ts or Other | Informatio | n | | | | | |
| | | | | | | | | | | | |